

101 676 779

Che  
\$



**DLA PIPER RUDNICK GRAY CARY US LLP**

1200 NINETEENTH STREET, N.W.

WASHINGTON, D.C. 20036-2412

TELEPHONE: 202-861-3900

FACSIMILE: 202-223-2085

DOCKET NO.: 3858-008-27

COMMISSIONER FOR PATENTS

PO BOX 1450

ALEXANDRIA, VA 22313-1450

Re: Patent No: 7,015,807  
Patentee(s): Richard J. ROBY, et al.  
Issued: March 21, 2006  
For: METHOD AND APPARATUS FOR INDICATING ACTIVATION  
OF A SMOKE DETECTOR ALARM

SIR:

Attached hereto for filing are the following papers:

Fee Transmittal  
Request for Certificate of Correction  
Certificate of Correction PTO-1050  
Formal Drawings (10 Sheets)

**Certificate**

JUN 13 2006

**of Correction**

Our check in the amount of \$100.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, please charge or credit the difference to our Deposit Account No. 50-1442. A duplicate copy of this sheet is enclosed.

Respectfully submitted,


DLA PIPER RUDNICK GRAY CARY US LLP

James M. Heintz

Registration No. 41,828

JUN 13 2006

# FEE TRANSMITTAL FY 2006



Docket No.	3858-008-27
Patent No.	7,015,807
Issue Date	March 21, 2006
Inventor(s)	Richard J. ROBY, et al.
Group Art Unit	2632
Examiner	Benjamin C. LEE

**TOTAL AMOUNT OF PAYMENT** \$100.00

1. ☐ Applicant claims small entity status.
- ☐ Charge any UNDERPAYMENT or credit any OVERPAYMENT in the indicated fees to Deposit Account No. 50-1442.
- ☐ Charge the indicated fees to Deposit Account No. 50-1442.

## FEE CALCULATION (continued)

### 3. ADDITIONAL FEES

2. ☐ Check enclosed.

### FEE CALCULATION

#### 1. BASIC FILING FEE

Large Entity		Small Entity		Fee Description						
Code	Fee \$	Code	Fee \$		Fee Paid	Fee Code	Fee (\$)	Fee Code	Fee (\$)	Fee Paid
1011	300	2011	150	Utility Filing Fee		1051	130	2051	65	
1012	200	2012	100	Design Filing Fee		1053	130	1053	130	
1013	200	2013	100	Plant Filing Fee		1251	120	2251	60	
1014	300	2014	150	Reissue Filing Fee		1252	450	2252	225	
1005	200	2005	100	Provisional Filing Fee		1253	1020	2253	510	
1111	500	2111	250	Utility Search Fees		1254	1590	2254	795	
1311	200	2311	100	Utility Examination Fees		1255	2160	2255	1080	
<b>SUBTOTAL</b>					<b>\$0.00</b>	1401	500	2401	250	
						1402	500	2402	250	
						1403	1000	2403	500	
						1501	1400	2501	700	
						1504	300	1504	300	

#### 2. EXTRA CLAIM FEES

tot. claims		-	20*	=	0	x	\$25	=	0	1806	180	1806	180	IDS Submission	
ind. claims		-	3*	=	0	x	\$100	=	0	8021	40	8021	40	Assignment Recordation	
<input type="checkbox"/>	Multiple Dependent Claims						\$180	=		1801	790	2801	395	For Filing RCE	
SUBTOTAL									0	1814	130	2814	65	Terminal Disclaimer	

#### 3. APPLICATION SIZE FEES

Total # of Sheets				# of Extra Sheets		1811		100	COC	100.00
	-	100	=	0						
# of each additional 50 sheets or fraction thereof (round up)	Fee			Total Fee Due	SUBTOTAL					100
	x	\$125	=	0						

DOCKET NO. 3858-008-27



**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

IN RE PATENT OF: Richard J. ROBY, et al.  
PATENT NO.: 7,015,807  
ISSUE DATE: March 21, 2006  
FOR: METHOD AND APPARATUS FOR INDICATING ACTIVATION  
OF A SMOKE DETECTOR ALARM

**REQUEST FOR CERTIFICATE OF CORRECTION**

COMMISSIONER FOR PATENTS  
PO BOX 1450  
ALEXANDRIA, VA 22313-1450

SIR:

The following is a request for a Certificate of Correction in Serial Number 10/676,779 now  
Patent Number 7,015,807.

A Certificate of Correction under 35 U.S.C. §255 is respectfully requested in the above-  
identified patent.

All errors are ascribable to the applicants and, accordingly, a check for \$100.00 is submitted  
to cover those, 35 U.S.C. §255 and 37 C.F.R. 1.323. The errors are minor and their correction would  
not entail reexamination or constitute new matter. The requested corrections are attached on Form  
PTO-1050.

Respectfully submitted,

DLA PIPER RUDNICK GRAY CARY US LLP

James M. Heintz  
Registration No. 41,828

06/12/2006 RMEBRAH1 00000076 7015807

01 FC:1811

100.00 0P

1200 Nineteenth Street, N.W.  
Washington, D.C. 20036-2412  
Telephone No. (202) 861-3900  
Facsimile No. (202) 223-2085

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**Page 1 of 11

PATENT NO. : 7,015,807

APPLICATION NO.: 10/676,779

ISSUE DATE : March 21, 2006

INVENTOR(S) : Richard J. ROBY, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Please replace the handwritten drawings sheets 1-10 with the enclosed formal drawings (1-10)

Column 3, line 19

Change "FIG. 4 is flow chart..." to --FIG 4. is a flow chart--

Column 6, line 38

Change "518" to --517--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

1200 19th Street, N.W.  
Washington, D.C. 20036

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*



1/10




FIG.1

JUN 13 2006




FIG.2a




FIG.2b




FIG.3






FIG.4

6/10




FIG.5a

JUN 13 2006





FIG. 5b



**FIG. 6**




FIG.7




FIG. 8